

**CERTIFICATE OF ANALYSIS No R160585961 / 18.05.2016**

**Attn:** Mr. Michael Gionis

**Client:** "JOIN club" 132 Gounari Str., Glyfada, Greece.

**Tel:** +30210 9625127, 6945873846

**Sample description:** E-Liquid (for electronic cigarette)- ready for use

**Client labeling:** "Black 100%, 06MG / 50/50, Lot.: 3025, Exp.: 11/04/18"

**Skylab-Med reference:** 1604-1355/01

**Sample packaging / sample weight:** Plastic container (vial), (1)× ~20ml.

**Sampling:** Client

**Transport:** Client

**Received on:** 20/04/2016

**Condition upon receipt:** Normal

**Analyses duration:** 13-18/05/2016

Accredited tests are identified by the symbol \*. Skylab-Med laboratories hold a GMP license from National Drug Organisation, EOF (Authorisation Nr 0000009612/11/1). The results refer solely to the submitted sample(s). The present analytical report may only be reproduced in full and only with the written approval of Skylab-Med.


**RESULTS**

Test code	Method	Analyses	Results
CRG-60	Solid Phase Micro Extraction-Gas Chromatography (SPME/GC-FID)	Diacetyl	<0.5 µg/ml (LOQ)
		Acetyl Propionyl	<0.1 µg/ml (LOQ)
CRG-72		Acetoin	<0.5 µg/ml (LOQ)

**Note:** The **LOQ (Limit of Quantification=10 µg/ml)** term refers to the determination limit of the method.

For Acetoin, Diacetyl is 0.5 µg/ml and for Acetyl Propionyl is 0.1 µg/ml.

**SIGNATURE**



Dr. Nicoletta Yannovits  
Analytical Dept. Manager